

A nano intro to Python (just to start working with NLTK...)

Ing. Roberto Tedesco, PhD

roberto.tedesco@polimi.it



arcslab
adaptable, relational and cognitive software environments

NLP – AA 18-19
Prof. L. Sbattella

Brief description of Python progs

- Official web site: <https://www.python.org>
- Object oriented
- Typed objects but un-typed variables
- Type constraints are not checked at compile time
- Whitespace indentation
 - An increase in indentation comes after certain statements; a decrease in indentation signifies the end of the current block
 - Spaces or tab, but not the two at the same time
 - The “continuation operator”: ‘\’
- Functions and methods

Some Python hints: string and main

- String literals

```
a= "ciao"
```

```
a = 'ciao'
```

```
a = "ciao\n"
```

```
a = """ ciao this is  
an example with new lines """
```

- No `main()`: code is executed from the beginning

- But, if functions are defined:

```
if __name__ == '__main__':
```

```
    my_entry_point()
```

launches the function `my_entry_point()`

- Otherwise, the file is just a library of functions

Some Python hints: if

- The If statement:

```
if b > a:  
    print("b is greater than a")  
elif a == b:  
    print("a and b are equal")  
else:  
    print("a is greater than b")
```

- The ternary conditional operator
(as the "C" `x = cond ? a : b`)

```
a = idx - 10 if idx >= 10 else 0
```

Some Python hints: loops

- Loops:

```
c = 0
while (c < 9):
    print('Count:', c)
    c = c + 1
```

```
primes = [2, 3, 5, 7]
for prime in primes:
    print(prime)
```

- NB: do-while does not exist, but...

```
i = 1
while True:
    print(i)
    i = i + 1
    if (i > 3):
        break
```



```
// C-style do-while
int i = 1;
do {
    printf("%d\n", i);
    i = i + 1;
} while(i <= 3);
```

Some Python hints: collections; output

- Tuples, lists, sets, dictionaries (i.e., hashtables)

```
t = ()
```

```
t = ('ciao', 1, 2.343)
```

```
l = []
```

```
l = ['a', 'f', 'a']
```

```
s = set()
```

```
s = {'a', 'f', 'a'} no duplicates → {'a', 'f'}
```

```
d = {}
```

```
d = d['pippo'] = 3 contains → {'pippo': 3}
```

- Formatted output

```
print ("Example:%f3.2;%2d" % (59.058,1))
```

```
prints: Example: 59.06; 1
```

Some Python hints: comprehensions

- List comprehension

$S = [f(x) : x \in X, \text{condition}(x) \text{ holds}]$

```
s = [v for v in 'ABCDABCD' if v not in 'CB']  
print(s) # generates ['A', 'D', 'A', 'D']
```

- Set comprehension

$S = \{f(x) : x \in X, \text{condition}(x) \text{ holds}\}$

```
s = {v for v in 'ABCDABCD' if v not in 'CB'}  
print(s) # generates ['A', 'D']
```

- Dictionary comprehension

```
d = {n: n**2 for n in range(5)}
```

variable `d` contains:

```
{0: 0, 1: 1, 2: 4, 3: 9, 4: 16}
```

Some Python hints: for-in; generators

- For.. in

```
list1 = [5, 6, 8, 3]
for a in list1:
    print(a)
```

- List comprehensions generates all the element

- Memory consumption

- Generators return an object that will only generate the items when needed

```
doubles_list = [2 * n for n in range(100000)]
doubles_gen = (2 * n for n in range(100000))
for a in doubles_list:
    print(a)
for a in doubles_gen:
    print(a)
```


Some Python hints: functions

- Functions with optional return

```
def name(parameter1, parameter2):  
    .....  
    return xyz
```

- Optional arguments (i.e.: with default values) and named argument

```
def open_file(host, filename="default.txt"):  
    .....
```

```
open_file("111.111.111.111")  
open_file("111.111.111.111", "pippo.txt")  
open_file(filename="pippo.txt", \  
          host="111.111.111.111")
```

Some Python hints: functions

- Some NLTK functions and methods make use of the Python `*args` and `**kwargs` idioms to allow arbitrary number of arguments to functions and methods
- The `*args` will give you all parameters as a tuple:

```
def foo(*args):  
    for a in args:  
        print(a)
```

```
>>> foo(1,2)
```

```
1
```

```
2
```

Some Python hints: functions

- The `**kwargs` will give you all keyword arguments, except for those corresponding to a formal parameter, as a dictionary:

```
def foo(**kwargs):  
    for a in kwargs:  
        print(a, kwargs[a])
```

```
>>> foo(name='one', age=27)  
age 27  
name one
```

Some Python hints: object oriented programming

- **Classes**

```
class Vector:  
    def __init__(self, x, y):  
        self.x = x  
        self.y = y  
    def length(self):  
        a=math.sqrt(self.x**2+self.y**2)  
        return a
```

- **New objects**

```
v = Vector(3,5)
```

- **Object methods**

```
l = v.length()
```

- **Class methods**

```
Path.cwd()
```

Integer division

- In Python 2.7, the / operator performs integer division if inputs are integers
- If you want float division just use this special import at the beginning of the file:

```
from __future__ import division
```

- For Python 3.x, this is not required, as the / operator performs float division in any case

Character encoding

- Python 3.x works with Unicode by default
- Python 2.7 provides some support to Unicode, but it is not the default way of coding characters
- For details, see:
<https://docs.python.org/3/howto/unicode.html>

NLTK

- NLTK, is a suite of libraries and programs for both symbolic and statistical NLP
- Based on the Python programming language
- It provides:
 - interfaces to over 50 corpora and lexical resources
 - a suite of text processing libraries for classification, tokenization, stemming, tagging, parsing, and semantic reasoning
 - wrappers for industrial-strength NLP libraries
- Available for Windows, OS X, and Linux

NLTK installation

- Current version: NLTK 3
- Install Python (version 2.7 or 3.x)
- Install NLTK:
see: <http://www.nltk.org/install.html>
- Install NLTK Data:
see: <http://www.nltk.org/data.html>
- The API:
see: <http://www.nltk.org/api/nltk.html>
- The on-line book (updated for NLTK3, Python3):
see: <http://www.nltk.org/book/>